

TRANSMITTAL OF UTILITY APPLICATION
UNDER 37 C.F.R. §1.53

11-17-00
Attorney Docket No.

37337-0001

First named inventor

P. Berg

Express mail label #

EL685075547US

Date of mailing

November 15, 2000

PTO
U.S.
JCS806
09/13/00



Application Elements

Accompanying Application Papers

1. ☒ Fee Transmittal Form

6. ☐ Copy of assignment documents
from parent applications

2. ☒ Specification containing 54 pages
(including Claims and Abstract).

7. ☐ Preliminary Amendment

a. Title: COMPUTER HIERARCHICAL DISPLAY
OF MULTIPLE DATA CHARACTERISTICS

8. ☒ Return Receipt Postcard

b. Number of claims: 33

9. ☐ Small Entity Statement

3. ☒ 18 sheets of drawings with Figures 1-14

4. ☒ Unexecuted Declaration

5. ☐ Sequence Listing

☐ Paper copy (identical to computer copy)

☐ Computer readable copy

☐ Verified statement

SIGNATURE OF ATTORNEY/AGENT

HELLER EHRMAN WHITE & McAULIFFE LLP

David A. Hall

David A. Hall

Registration Number: 32,233

☐ Benefit of priority: Benefit of priority to allowed U.S. Application Serial No.
filed . The subject matter of this application is incorporated into this
application in its entirety.

CORRESPONDENCE ADDRESS

NAME

David A. Hall
Registration No. 32,233
Heller Ehrman White & McAuliffe LLP

Address

4250 Executive Square, 7th Floor, La Jolla, CA 92037

Telephone: (858) 450-8400

Facsimile: (858) 587-5360

FEE TRANSMITTAL ACCOMPANYING UTILITY APPLICATION UNDER 37 C.F.R. §1.53	Attorney Docket No.	37337-0001
	First named inventor	P. Berg
	Express mail label #	EL685075547US
	Date of mailing	<u>November 15, 2000</u>


JC853 U.S. PTO
 09/713843

 11/15/00

FEE CALCULATION FOR CLAIMS AS AMENDED

a)	Basic Fee	\$ 355.00	
b)	Independent Claims	$\frac{4}{33} - 3 = \frac{1}{13} \times \$ 40.00$	\$ 40.00
c)	Total Claims	$\frac{33}{33} - 20 = \frac{13}{13} \times \$ 9.00$	\$ 117.00
d)	Fee for Multiple Dependent Claims	$= \$ 260.00$	\$ 0.00
TOTAL FILING FEE			\$ 512.00

- ☐ Copies of executed Statement(s) of Status as Small Entity reducing Fee by one-half to \$
- ☒ A check in the amount of \$512.00 to cover the fee for filing the application.
- ☐ Charge \$.00 to Deposit Account No. 50-1213.
- ☒ The Commissioner is hereby authorized to charge any fees that may be required in this application under 37 C.F.R. §§ 1.16-1.17 during its entire pendency, or credit any overpayment, to Deposit Account No. 50-1213. If proper payment is not enclosed, such as a check in the wrong amount, unsigned, post-dated, otherwise improper or informal, or absent, the Commissioner is authorized to charge the unpaid amount to Deposit Account No. 50-1213 during the entire pendency of this application. This sheet is filed in duplicate.

CORRESPONDENCE ADDRESS			
NAME	David A. Hall Registration No. 32,233 Heller Ehrman White & McAuliffe LLP		
Address	4250 Executive Square, 7th Floor, La Jolla, CA 92037		
	Telephone: (858) 450-8400	Facsimile: (858) 587-5360	
Submitted by:			
Typed or printed name	David A. Hall	Reg. Number	32,233
Signature		Date	11-15-2000
		Deposit Account	50-1213

COMPUTER HIERARCHICAL DISPLAY OF MULTIPLE DATA CHARACTERISTICS

REFERENCE TO RELATED APPLICATIONS

5

This application claims the benefit of U.S. Provisional Application Serial No. 60/220,417, entitled "Computer Display of Multiple Data Criteria", filed July 24, 2000.

BACKGROUND OF THE INVENTION

10

1. Field of the Invention

This invention relates generally to computer systems and, more particularly, to the display of data criteria relating to a database of information.

15

2. Description of the Related Art.

20

More and more people are using the Internet to search for information in response to a variety of search requests submitted over the "World Wide Web" (the "Web"). For example, one of the popular areas of Internet activity is that of shopping for goods and services. The goods and services that may be purchased over the Internet cover a wide spectrum of

industries. Though Web sites are increasingly being designed with convenient access in mind, it is quite often a cumbersome process for users to gather an appropriate collection of offerings that are of interest and to actually make a purchase decision. The process typically involves jumping back and forth among many different Web pages, and even from Web site
5 to Web site.

A Web shopping site for airline travel, for example, may permit a traveler to supply a starting location, destination location, and travel dates from an input screen. The Web site may then locate airline carriers that meet the requirements, and return a list of times, airports, and carriers to the user in another display. The list of information typically is arranged in a
10 column format, with column headings of departure time, arrival time, price, airport, carrier, and so forth. The Web site may collect additional information from the user, such as class of service, fare structure, and the like, from additional input screens, and may list the added information it locates amongst the columns of information displayed for the user. The user is typically given an opportunity to make a flight selection, which takes the user to yet another
15 Web page, where the Web site typically will ask if the user wants to make a flight reservation or purchase. If the user answers affirmatively, the user is typically directed to another Web page or screen, where the requisite information is collected and then processed.

The number of Web site pages that must be viewed to retrieve desired information and effectuate a purchase makes the process cumbersome and can be confusing. Some users
20 may give up in frustration before making a purchase decision. Other commercial Web sites

may suffer from similar problems, such as bookstores, clothing, computer retailers, and the like.

From the discussion above, it should be apparent that there is a need for gathering information on offerings of goods and services as selected by shoppers, and then presenting information about the shopping criteria of the shopper in a convenient display for easier comparison shopping, to facilitate purchase decisions. The present invention fulfills this need.

SUMMARY OF THE INVENTION

Disclosed is a computer system and method that allows a user to hierarchically search data and browse the results of the search using hierarchical display of the search results. In one aspect of the invention, there is disclosed a method for causing a computer to accept user criteria for obtaining a subset of data related to products that are available for purchase. The computer peruses a database and retrieves a data subset that meets the user criteria, wherein the data subset comprises one or more data elements. Each data element is related to one or more products that may be available for purchase. The computer preferably generates a display that includes a representation of the data in a hierarchical manner, such as in a tree map format.

The display is representative of the data subset and comprises plural bounded field areas, wherein each bounded field area corresponds to a product category. Preferably, one or

more of the bounded field areas is divided into plural bounded subfield areas. Each of the bounded subfield areas corresponds to and represents a product. In order to assist a user in evaluating the products, each bounded subfield area has a first attribute that is indicative of a first characteristic of the corresponding product. Advantageously, the plural bounded field areas and the bounded subfield areas are all contained within a single viewable region of a computer display screen to allow the user to easily examine the products.

The display may also include a menu item that provides the user with the ability to insert any product corresponding to a subfield areas into an electronic shopping cart. A shopping cart item may provide a tally of any products that have been inserted into the shopping cart. Additionally, the display may include a selectable item such as button that, when selected, initiates a purchase transaction of all of the items in the shopping cart.

The display may also include pop-up windows that are generated in response to the user manipulating a display cursor. The pop-up windows include items of information related to the products. Preferably, the display also includes menus that allow the user to vary the criteria upon which the data is grouped and displayed.

Other features and advantages of the present invention should be apparent from the following description of the preferred embodiment, which illustrates, by way of example, the principles of the invention.

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 is a block diagram representation of a computer system that implements the display processing of the present invention.

5 Figure 2 is a block diagram that illustrates the construction of one of the computers of Figure 1.

Figure 3A is an illustration of a display screen produced by the computer processing system illustrated in Figure 1 at a client node, showing a browser window that is configured to include a product review page display.

10 Figure 3B is an illustration of a display screen produced by the computer processing system illustrated in Figure 1 at a client node, showing a detailed view of the product review page display that is included in the browser window of Figure 3A.

Figure 3C is an illustration of a display screen produced by the computer processing system illustrated in Figure 1 at a client node, showing a data criteria suggestion box of the
15 product review page display.

Figure 3D is an illustration of a display screen produced by the computer processing system illustrated in Figure 1 at a client node, showing a detailed view of another embodiment the product review page display.

Figure 3E is an illustration of a display screen produced by the computer processing
20 system illustrated in Figure 1 at a client node, showing a detailed view of another embodiment the product review page display with a product suggestion pop-up window.

Figure 4 is a flow diagram that illustrates the processing steps executed by the computer system of Figure 1 to generate a product review page display in response to user-specified criteria.

Figure 5 is an illustration of a display screen produced by the computer processing system illustrated in Figure 1 at a client node, showing a portal Web page for the product review page display.

Figure 6 is a flow diagram that illustrates the processing steps executed by the computer system of Figure 1 to generate a mouse over detail window in response to user interaction with the product review page display.

Figure 7 is an illustration of a display screen produced by the computer processing system illustrated in Figure 1 at a client node, showing a product review page display and a mouse over detail window.

Figure 8 is a flow diagram that illustrates the processing steps executed by the computer system of Figure 1 to generate a mouse click menu window in response to user interaction with the product review page display.

Figure 9 is an illustration of a display screen produced by the computer processing system illustrated in Figure 1 at a client node, showing a product review page display and a mouse click menu window.

Figure 10 is a flow diagram that illustrates the processing steps executed by the computer system of Figure 1 to draw field areas of a product review page display.

Figures 11A-11D graphically illustrate the steps of allocating available screen space to rows of field areas during generation of a product review page display.

Figure 12 is a flow diagram that illustrates the processing steps executed by the computer system of Figure 1 to assign screen colors to field areas of a product review page display.

Figure 13 is an illustration of a display screen produced by the computer processing system illustrated in Figure 1 at a client node, showing a detailed view of another embodiment the product review page display that is included in the browser window of Figure 3A.

Figure 14 is an illustration of a display screen produced by the computer processing system illustrated in Figure 1 at a client node, showing another detailed view of the embodiment of the product review page display shown in Figure 13.

DESCRIPTION OF THE PREFERRED EMBODIMENT

Figure 1 is a block diagram representation of a computer system 100 with a client computer 102 connected to a network 104, such as the Internet. The client computer includes a browser application 105. The client computer 102 communicates with network node computers indicated as a Network Server 1 computer 106 and a Network Server 2 computer 108 in a communications session. The client computer 102 requests network data, such as

Web pages, from the network server computers 106, 108. For suitably configured Web sites, the HTML code of the Web pages from the server computers 106, 108 includes a tag for an applet program 110. The tag may direct the client browser application 105 to receive the applet program 110 from an applet server computer 112 of the computer network, or the tag
5 may incorporate program instructions of the applet 110 or instructions that implement the functionality of the applet. The browser application 105 hosts the applet program 110.

The computer system 100 is configured to implement processing steps wherein at least one of the one of the Network Servers 106 or 108 receives user-specified criteria for obtaining information from a database, which may be, for example, data distributed in
10 storage across the network or data located in a single data store. The client computer 102 peruses the data and identifies a subset of the data, the subset being comprised of one or more data elements that meet the specified criteria. The client computer 102 then generates a information review page on a display screen of the client computer 102, preferably using the applet 110. The information review page provides a simple representation of the data subset
15 including visual representations of one or more aspects of the data, as described more fully below with respect to Figures 3A-3E. The applet 110 allows for user adjustments of the display and efficient navigation of the data in the data subset.

It will be appreciated that the computer system shown in Figure 1 is an exemplary embodiment of how the functionality described herein may be implemented. The client-
20 server computer system of Figure 1 could be replaced by a single computer device and database, the computer device having computer-readable program instructions that would

implement the functionality of the applet described herein. Additionally, the data could be stored locally on the computer device or could be stored in one or more data storage devices that are remote from the computer device. For example, the computer device could be a hand-held computer device having a processor that is configured to respond to instructions that implement the functionality of the applet 110.

In a preferred embodiment, the data in the database is related to products that are preferably available for purchase over the network. The computer system 100, via the client computer 102, accepts one or more criteria related to products that the user desires to analyze or purchase. The servers 106, 108 then peruse a database of products, retrieve at least a portion of product data that meet the criteria, and then instruct the client computer 102 to display the data in the information review page. The user may analyze the product data and transfer purchase decisions regarding one or more products to the servers via interaction with the tree map display.

The data to be searched according to the user criteria is preferably maintained in a database that is comprised of a collection of one or more data elements that are each defined by one or more "dimensions" each of which has a magnitude or alphanumeric value that represents a characteristic of the data element. For example, data elements for the purchase of services may be characterized along dimensions of price, size, and reservation date. The data elements may be assembled into groups, each of which pertains to a particular data category. The groups may comprise, for example, airline reservations or hotel accommodations responsive to the user's criteria.

In the context of the data relating to product information, each data element preferably relates to a product or set of products that are available for purchase or selection. The dimensions of such a data element could include any specification that is descriptive of the product, such as the price of the product, the type of product, the size of the product, and so forth. For example, if the data element relates to a house that is being offered for sale, the dimensions of such a data element could include the price of the house, location of the house, the number of rooms in the house, and the size of the house.

The specific quantity and type of dimensions of a particular data element could vary depending on the type of product to which the data element is related. In another example, the data element could relate to clothing offered for sale, where the dimensions include the article of clothing, the price of the article, the size of the article, and the color of the article.

The database could include data that is collected from a more expansive database and stored in a data store. The database could also be data that is stored over one or more data stores, such as data that is stored in data stores that linked over the Internet.

The database is sometimes described herein in the context of a collection of travel-related information wherein the data elements each relate to a travel-related product or service that is available for purchase, such as an airline ticket, a car rental, or a hotel accommodation. For example, a data element could relate to an airline ticket wherein the dimensions of the data element include price, time of departure, time of arrival, airline and flight class. Although the data is described herein in the context of travel-related product offerings, it will be appreciated that the data could also relate to other types of product

offerings. Indeed, the data could relate to any subject matter where multiple dimensions of information are presented to the user via a single display screen.

The client computer 102 that implements the display processing, or any other computer device of the network system 100, may comprise any conventional computer
5 suitable for implementing the functionality described herein. The client computer may comprise, for example, an Internet-connected personal computer (PC) or a Web-enabled appliance. Figure 2 is a block diagram of an exemplary computer device 200 such as might
comprise any of the computing devices shown in Figure 1. Each computer operates under control of a central processor unit (CPU) 202, such as an application specific integrated circuit
10 (ASIC) from a number of vendors, or a "Pentium"-class microprocessor and associated integrated circuit chips, available from Intel Corporation of Santa Clara, California, USA. Commands and data can be input from a user control panel, remote control device, or a keyboard and mouse combination 204 and inputs and output can be viewed at a display 206.

The display 206 is typically a video monitor or flat panel display device. As will be
15 known to those of skill in the art, a conventional display includes a display screen that defines a viewable region having a fixed, two-dimensional area.

If the computer device 200 comprises a personal computer, then it preferably includes a direct access storage device (DASD) 208, such as a fixed hard disk drive (HDD). The DASD
may be used to store the operating system of the computer 200, but in the case of a Web-
20 enabled appliance or other computer device of more modest capability, the memory is likely limited to some form of programmable read-only-memory or EPROM (flash memory). The

memory 210 typically comprises volatile semiconductor random access memory (RAM) in the case of a personal computer. If the computer device 200 is a personal computer, it preferably includes a program product reader 212 that accepts a program product storage device 214, from which the program product reader can read data (and to which it can optionally write data). The program product reader can comprise, for example, a disk drive, and the program product storage device can comprise removable storage media such as a magnetic floppy disk, an optical CD-ROM disc, a CD-R disc, a CD-RW disc, a DVD disc, or the like. Semiconductor memory devices for data storage may also be used for the program product storage device.

If the computer device 200 is part of a network, such as a group of computers serving a data management function, then each computer 200 can communicate with the other connected computers over a network 216 through a network interface 218 that enables communication over a connection 220 between the network and the computer device.

The CPU 202 operates under control of programming steps that are temporarily stored in the memory 210 of the computer 200. When the programming steps are executed, the pertinent system component performs its functions. Thus, the programming steps implement the functionality of the system illustrated in Figure 1. The programming steps can be received from the DASD 208, through the program product 214, or through the network connection 220, or can be incorporated into an ASIC as part of the production process. If the computing device includes a storage drive 212, then it can receive a program product, read programming steps recorded thereon, and transfer the programming steps into the memory 210 for execution by the CPU 202. As noted above, the program product storage device can comprise any one of

multiple removable media having recorded computer-readable instructions, including magnetic floppy disks, CD-ROM, and DVD storage discs. Other suitable program product storage devices can include magnetic tape and semiconductor memory chips. In this way, the processing steps necessary for operation in accordance with the invention can be embodied on a program product.

Alternatively, the program steps can be received into the operating memory 210 over the network 216. In the network method, the computer receives data including program steps into the memory 210 through the network interface 218 after network communication has been established over the network connection 220 by well-known methods that will be understood by those skilled in the art without further explanation. The program steps are then executed by the CPU 202 to implement the processing of the system of the present invention.

The Product Review Page

Figure 3A is an illustration of a display 300 that is produced on a computer display screen of the client computer 102. The display 300 includes a browser display window 302, which includes an active area 304 that is configured to display a Web page. The active area 304 shows a "Product Review Page" 328 of a Web site that is being visited by the user.

The browser display window 302 further includes well-known window artifacts, such as a title bar 310 with window sizing icons 312, a menu bar 314, a browser navigation tool bar 316, and a location or address window 318. A task bar or system tray 320 resides at the

bottom of the display. Although the Figure 3A display window shows a configuration typical for an operating system such as "Windows 98" by Microsoft Corporation, it should be understood that the program that produces the information review page in accordance with the invention also can be interfaced with other computer operating systems, such as the "Macintosh" operating system by Apple Computer Corporation and the various UNIX operating systems that are available.

The active area 304 includes the Product Review Page 328 which displays information in a tree map format. For clarity of illustration, the Product Review Page 328 is represented as a blank box in Figure 3A and a detailed illustration of the Product Review Page 328 is shown in Figure 3B. With reference to Figure 3B, the Product Review Page 328 includes a two-dimensional field array 330 of information including one or more tree maps. A menu array 332 comprised of one or more menus 334a, 334b, and 334c is located adjacent the field array 330. The menus determine the display configuration of the field array 330, as described further below

The field array 330 includes a plurality of field areas 340 each comprised of a distinct region of the screen display and each having a predetermined geometric shape. For convenience, the reference numeral 340 is used to collectively refer to plural field areas and individual field areas are referred to using the reference numeral 340 followed by a letter suffix. Preferably, the field areas 340 are each surrounded by a pronounced border which serves as a visual designation of the respective field area.

Each field area 340 consumes a two-dimensional display area that is indicative of a first data criteria, such as a group data category, of a data subset. That is, each of the field areas 340 represents a particular group of data or category of data. For example, the first field area 340a relates to a “Hotel” data category, another field area 340b relates to a “Airline Flight” data category, and the last field area 340c relates to a “Car Rental” data category. In the context of service and product offerings, there could be a field area associated with any of a wide variety of categories.

Each field area 340 is divided into one or more subfield areas 354 each having a geometric shape that consumes a given region of the display screen. Each subfield area 354 represents one or more data elements that belong to the category of data represented by the corresponding field area 340. In the context of a product offering, each subfield area 354 is representative of one or more products. The products could also be available for purchase or selection using the Product Review Page.

For example, the subfield area 354a in the “Hotel” field area 340a is representative of a particular hotel accommodation that is available for purchase. Likewise, the subfield area 354b in the “Airline Flight” field area 340b is representative of a particular scheduled airline flight that is available for purchase. The subfield area 354c represents a car rental that is available for purchase. Thus, the subfield areas 354 could be used to represent any item or product available for selection or purchase. For clarity of illustration, only some of the subfield areas 354 have been labeled with a reference numeral, although it is appreciated that all of the subdivisions of the field areas 340 are subfield areas.

Each subfield area 354 has one or more attributes that are indicative of one or more dimensions of the corresponding data element. Accordingly, a user can obtain information regarding one or more dimensions of a particular data element by examining the various attributes of the subfield area associated with that data element. In a preferred embodiment, one such attribute of each of the subfield areas 354 is the size of the particular subfield area 354 (i.e., the amount of two-dimensional display space consumed by the subfield area). Another attribute is the fill color or fill pattern of the subfield area. The location of the subfield area with respect to other subfield areas also may be an attribute that indicates a dimension of the data element. Thus, multiple attributes of the data element may be readily observed by a user.

It will be appreciated that the type of attribute that is used to indicate the dimensions of the data element could vary. The attributes could be a visual attribute, such as the size or color of the data element. The attribute could also be a aural attribute, such as a sound that is associated with a subfield area. The attributes of the data element could include anything that could be detectable by a human sense and that could be associated with the data element.

For example, if the subfield areas 354 represent products that are available for purchase, the two-dimensional screen size of a subfield area 354 could indicate some characteristic of the product represented by that subfield area. For example, the screen size of the “hotel room” subfield area 354a might be a visual indication of the “quality rating” for the associated hotel room. A hotel room with a higher quality rating would be represented by a subfield area 354 that is larger in size than a hotel room with a lower quality rating. As

discussed below, the color or shading of the subfield area 354 may also indicate quality rating, or may be used to indicate a different attribute, such as price.

In another example, the size of the “Airline Flight” subfield area 354b might indicate the price of the associated airline flight ticket. Airline tickets of higher price would be represented by subfield areas 354 of larger size than airline tickets of lower price. The user can thus easily compare various qualities of the products by comparing the relative sizes of the subfield areas 354 that represent the products.

As mentioned, the screen color or shade of color that fills a particular subfield area 354 could be another attribute that indicates the value of a dimension of the corresponding data element. Preferably, subfield areas 354 located within a common field area 340 have the same basic color and variances in shade indicate the variance in magnitude along a selected product dimension. The subfield areas 354 could also vary across more than one color wherein changes between one or more colors indicate changes in the dimensions associated with the subfield areas 354. For example, the subfield areas 354 in field area 340 could range from red to purple and to red with the variance in color corresponding to the variance in a dimension of the associated data elements.

For each field area 340, a color legend 355 is preferably located on the page 328 to assist the user in ascertaining the meaning or significance of particular colors or shades of colors. It will be appreciated that a fill design, such as a hatching, could be used in place of color. If size of the subfields 354 indicates quality and shading indicates price, then it should

be apparent that the greatest economic choice would be represented by maximizing an acceptable size with the lightest color.

In the context of the subfield areas 354 representing a particular product, the subfield area's color provides a visual indication of some characteristic of the corresponding product.

5 For example, the color of the "hotel room" subfield area 354a could indicate the price of the hotel room. Hotel rooms of darker color could have a higher price than hotel rooms of lighter color. Accordingly, a user could easily ascertain and compare variances in prices of hotel rooms by observing the variances in color shade of the associated subfield areas 354 within the "hotel" field area 340a. The visual attributes of the subfield areas 354 could be used to
10 signify variances in qualities of any of a wide variety of products.

Another attribute of the subfield area could be the location or position of the subfield area on the screen with respect to other subfield areas. In other words, the position of a subfield area 354 with respect to other subfield areas 354 also provides information regarding the data element associated with that subfield area 354. Preferably, subfield areas 354 that
15 represent a product of a particular quality are located near subfield areas 354 of similar quality. Accordingly, subfield areas are grouped with other subfield areas that have some similar quality. For example, subfield areas that represent items of a particular price are grouped with other subfield areas of a similar price in the Product Review Page 328.

The user can preferably manually change the factors that govern the groupings of the
20 subfield areas 354 so that the subfield areas 354 will be grouped according to user-specified

criteria. For example, the user could specify that the hotel subfield areas should be grouped by hotel brand or by price. Alternately, the subfield areas 354 could be grouped by location.

Other products, such as televisions, could be grouped by screen size or by brand name. Another product such as coffee could be grouped according to flavor of the coffee or region of the coffee. The Product Review Page 328 preferably initially defaults to groupings that conform to general user expectations but also allows for user customization via the menus 334. Advantageously, the user can easily change the grouping criteria on the fly using the menus 334, as described more fully below.

Furthermore, the user could use the menus 334 to filter out data elements that do not meet specified criteria. For example, in the Hotels field area 340a, the user could preferably specify that hotels above a certain price range be filtered from display. This will allow the user to customize the page to the user's needs.

The field areas 340 and subfield areas 354 are preferably polygonal in shape. In a preferred embodiment, the subfield areas 354 are each rectangular and each have an aspect ratio (i.e., ratio of length to width) that is preferably close to 1 to avoid slender, elongate subfield areas.

With reference still to Figure 3B, the menus 334 preferably each include menu items 356 that allow a user to specify criteria that governs how the data will be sorted and how the page 328 is arranged. Preferably, each menu 334 is associated with one or more field areas 340. The menu items 356 preferably include drop down menus or data entry fields that allows a user to specify criteria by which the program 110 sorts and displays the data

elements represented by the subfield areas 354. Preferably, the menus 334 allow the user to widen or narrow the criteria used for displaying data elements. For example, the menu 334a, which is associated with the “Hotel” field area, allows the user to cause the client computer 102 to display only subfield areas 354 that represent hotel rooms within a particular quality range, such as only 3 star or only 4 star hotels. The user can thus use the menus to cause the client computer 102 to narrow (or widen) the range of products that are being displayed in the field arrays 340.

The menus 334 allow the user to customize the display of data according to user needs, such as by allowing the user to specify how the subfield areas 354 are grouped. Preferably, the user can specify a grouping criteria using the menus 334. Preferably, the menus 334 also allow the user to divide the field areas 340 into subgroupings so that subfield areas 354 within a particular field area 340 could grouped together and distinguished. For example, the user could use the menu 334 to cause the Hotel subfield areas 354 to be grouped by location so that hotels within a certain location are grouped together. Additionally, the user could cause the Hotel field area 340 to be divided into multiple groupings wherein hotels from one location are grouped together and hotels from another location are also grouped together.

In one embodiment, the Product Review Page includes a Highlight box 371 that allows a user to highlight all subfield areas 354 that meet a specified criteria. The Highlight box 371 preferably includes a fixed criteria or a user-specified criteria that a user can activate such as by clicking on an associated activation box 373. When the user activates the

highlight criteria, then all subfield areas 354 that meet the selected highlight criteria will be distinguished in some manner, such as by marking the appropriate subfield areas with a marker or bolded border. In the embodiment shown in Figure 3B, the highlight criteria correspond to products that have been deemed best buys and recommended products. When the user clicks on the associated activation box, then the subfield area(s) 354 that meet the activated highlight criteria are marked with an X. Accordingly, Web site owners or vendors can use the Highlight box 371 as a way of generating user interest in particular products. Additionally, user of the Web site can use the Highlight box 371 as an aid for identifying products that are of interest.

With reference to Figure 3B, the product Review Page 328 may also include a search interface 375 that allows a user to search for data elements that match or relate to a search string. The search interface comprises a field in which the user may enter alphanumeric characters that specify a search string. The user can cause the client computer 102 to initiate a search of the database for data elements that match or relate to the search string using a button 377.

With reference to Figure 3C, the page 328 may further include a data criteria suggestion area 370 comprised of a bounded field area 372 that is divided into one or more subfield areas 374. The field area 372 includes subfield areas that are each representative of data elements that do not exactly meet criteria specified by the user but are somewhat closely related to the criteria so as to be deemed to be of some interest to the user. The data elements represented in the field area 372 might meet a given percentage of the criteria specified by

the user, wherein the percentage cutoff may be arbitrarily determined by the user or by a third party.

The data criteria suggestion area 370 is shown in Figure 3C as a Product Suggestion Area that includes bounded subfield areas 372 that are each representative of one or more products that do not exactly meet the user-specified criteria but nonetheless might be of interest to the user. For example, if the products are airline tickets, the Product Suggestion Area could include airline tickets that have departure times outside of the specified time criteria but which have other qualities, such as reduced price or free class upgrades, that might make the product of interest to the user. Advantageously, product vendors could utilize the Product Suggestion Area to promote new or unique products that the user would not necessarily consider buying but would likely be of interest because they closely meet the user criteria.

The data criteria suggestion area 370 could be incorporated as a permanent fixture into the Product Review Page 328, such as is shown in Figure 3D. Alternatively, the criteria suggestion area 370 could be generated as a pop-up window in response to the user prompting the client computer 102 for data criteria suggestions, such as is shown in Figure 3E.

Preferably, the entire Product Review Page 328, including all of the field areas 340 and the menus 356, has a size such that the field areas and the menus can be simultaneously contained within a single viewable region of a computer display device. That is, the user is desirably not required to scroll or switch between screen displays in order to view the entire

Product Review Page 328. In this manner, the user can examine various aspects of a data subset from a single display screen. Advantageously, the user can search data and arrange the data in a hierarchical display that is easily browsed.

The display generation and interactivity of the Product Review Page 328 may be implemented in a browser-compatible language, such as the "Java" programming language, as described in more detail below.

Implementation of the Product Review Page

Figure 4 is a flow diagram that illustrates the processing operations executed by the computer system 100 of Figure 1 to obtain and execute the applet program 110 of Figure 1. The applet program 100 causes the client computer 102 to generate the Product Review Page shown in Figures 3A-3E. In the first operation, represented by the flow diagram box numbered 402, the client computer 102 initiates a network communication session. In the context of an Internet application of the invention, the client is the computer at which a user initiates an Internet session.

Next, a host application at the client computer 102, such as the Web browser application 105, requests a portal Web page from a server computer. This operation is represented by the flow diagram box numbered 404. The request for the portal Web page may be made, for example, by clicking on a hyperlink displayed in the Web browser at the client computer 102 or by some other means of sending the URL (uniform resource locator)

of the desired Web page to the server computer. In the flow diagram box numbered 406, the server computer matches the received request to the appropriate portal Web page in the form of a file containing hypertext mark-up language (HTML) code, which is sent to the client browser application 105.

- 5 In the next operation, represented by the flow diagram box numbered 408, the Web browser application 105 at the client computer 102 receives the HTML code for the portal Web page and, in accordance with conventional browser functioning, processes the HTML code for display as a Web page.

Figure 5 is an illustration of a display screen for an exemplary portal Web page 505.

- 10 The portal web page 505 allows a user to specify one or more criteria that will be used to sort the information in the database for display as a tree map. The portal web page 505 preferably includes one or more fields 510 in which the user may enter criteria. Preferably, the criteria pertains to a category or subject matter of information that the user wishes to view. For example, if the user wishes to view information regarding products that are available for
- 15 purchase, the user would enter criteria such as product categories, price range, and other specifications. In the context of travel-related products, the user might enter as criteria desired destination locations in one or more of the fields 510.

Alternately, the fields 510 may be replaced by drop down menus that limit the searchable subject matter to specific subjects or categories to thereby guide the user's search.

- 20 For example, a vendor of products could have a web page that is tailored to display product information for specific product categories.

The portal web page 505 further includes a "send" button 515. The user selects the button 515 to initiate the search in accordance with the criteria.

The HTML code of the portal Web page 505 preferably includes a reference or tag to the tree map applet program 110. The HTML code identifies the server applet to the browser application 105 and provides parameters necessary for the browser application to receive and launch the applet program 110. In response to the user clicking on the send button 515, the browser application 105 initiates a search in accordance with the criteria and sends a request to the server for the corresponding applet file. With reference again to Figure 4, this is represented in the flow diagram box numbered 409.

The flow diagram box numbered 410 indicates that the next operation is for the server computer to receive the request for the applet program 110 and to return a data file containing the applet code and information relating to an appropriate "virtual machine", which by emulation will execute the applet code.

Next, in the flow diagram box numbered 412, the client browser "Java" virtual machine receives the applet code, checks it for validity, and then constructs an object of the applet class. The browser program 105 then initializes the applet object and starts its execution, thereby executing the applet code instructions.

The next operation is for the applet object to execute its instructions, such as by constructing specified objects and requesting data. In the operation represented by the flow diagram box numbered 414, the applet program 110 first requests data from the server computer, wherein the data meets the criteria specified by the user. In the next operation,

represented by flow diagram box 416, the server computer identifies a subset of data from a database that meets the specified criteria. As mentioned, the database is comprised of a collection of data elements.

The server computer preferably compares the criteria to the collection of data elements and identifies a subset of one or more data elements that meet the criteria. The server computer then constructs one or more data objects that represent the data subset. The perusal and organization of data could be performed by the server computer or by the client computer.

For example, assume that the user specified "Hawaii" as criteria for a destination location and also specified available hotels, car rentals, and airline flights as additional criteria. The resulting data subset will include data elements that meet the specified criteria, such as product offerings for specific hotels, car rentals, and airline flights in and to Hawaii. This operation may be performed at either the client computer 102 or at the server computer.

Next, in the flow diagram box numbered 418, the applet program 110 uses the previously constructed data objects to generate a product review page for presentation to the user. As discussed above with reference to Figure 3, the product review page includes field areas and subfield areas that are representative of data elements that meet the user-specified criteria. The method by which the applet program configures and draws the product review page is described below in more detail with reference to the flow chart shown in Figure 10 and 12.

During execution of the applet code, the browser program 105 detects user interaction with the product review page including events such as keyboard keystrokes and mouse movement when a display cursor is positioned in the product review page. Such events will be passed on to the tree map applet program 110 for further processing, as indicated by the flow diagram box numbered 420 and described in more detail below with reference to Figures 6-9.

After a time, the user may end the communications session, executing a logoff operation to disconnect from the Internet and shut down the browser, thereby terminating the applet. This is indicated by the flow diagram box numbered 422. Other operations of the client computer may then continue.

User Interaction with the Product Review Page

Figure 6 is a flow diagram that illustrates the computer operations by which the user may interact with the product review page to obtain information regarding the data represented in the tree map. The steps are implemented as computer program instructions stored in the client computer node 102. In the first operation, represented by the flow diagram box numbered 602, the browser program 105 detects that a display cursor 702 has moved over a subfield area 754a of the product review page, as shown in the display representation of Figure 7. This is referred to as a “mouse-over event.” The browser program 105 passes the mouse-over event to the applet program 110 for appropriate action.

In the next operation, represented by flow diagram box 604, the applet program 110 retrieves a mouse-over object that is associated with the subfield area 754a. The mouse-over object preferably includes information regarding the associated data element for the subfield area 754a, including the magnitudes of the dimensions for the data element. For example, if subfield area 754a relates to a “hotel room” data element, the mouse over data object preferably contains data regarding the dimensions for the hotel data element, such as the name of the hotel, the price of the hotel, the location of the hotel, and the quality rating for the hotel. The information contained in the data object could vary widely depending on the specific item or product that is associated with the data element.

The mouse-over object preferably also includes instructions for drawing a mouse-over subfield detail window 704 (Figure 7) for the subfield area 754a. In the operation represented by flow diagram box 606, the applet program 110 causes the subfield detail window 704 to appear on the product review page, preferably immediately adjacent to the subfield area 754a. Preferably, the subfield detail window 704 includes information regarding one or more of the dimensions for the data element associated with the subfield area 754a. If the data element relates to a product, the subfield detail window 704 includes information related to that product. For example, in the context of a “hotel room” data element, the subfield detail window 704 displays the name of the hotel, the star rating of the hotel, the location of the hotel, the price of the hotel, and so forth. Thus, the user can easily obtain more detailed information regarding the product associated with any subfield area by simply moving a display cursor over the subfield area.

The browser program 105 preferably detects whether the display cursor 702 has been removed from a location over the subfield area 754a, as represented by flow decision box 610. The applet program 110 preferably maintains the subfield detail window 704 in display as long as the display cursor remains over the subfield area 754a, as represented by flow diagram box 612. If the browser program detects that the display cursor 702 has been moved outside of the boundaries of the subfield area 754a, the applet program 110 removes the subfield detail window 704 from display (flow diagram box 614) and the process ends.

Figure 8 is a flow diagram that illustrates the operating steps by which the user may obtain additional information regarding the products represented by the field areas of the product review page. The steps are implemented as computer program steps stored in the client computer node 102. In the first operation, represented by flow diagram box 802, the browser program 105 detects that a display cursor 902 has moved over a subfield area 954a of the product review page and that a mouse click has been performed on the subfield area 954a. This is referred to as a “mouse click event.” The browser program 105 then passes the mouse click event to the applet program 110 for processing.

In the next operation, represented by flow diagram box 804, the applet program 110 retrieves a mouse click object that is associated with the subfield area 954a. The mouse click object preferably includes information regarding the product represented by the subfield area 954a, such as all or some of the information contained in the mouse-over object described above. The mouse click object also includes additional information, such as one or more

URLs for Web sites that are related to the product offering represented by the subfield area 954a.

The mouse click object preferably also includes instructions for drawing a mouse click subfield menu window 904 (Figure 9) for the subfield area 954a. In the operation represented by flow diagram box 806 (Figure 8), the applet program 110 causes the mouse click subfield menu window 904 to appear on the product review page. With reference to Figure 9, the mouse click subfield menu window 904 preferably includes some or all of the information from the mouse over field detail window. The subfield menu window 904 also includes one or more menu items that allow the user to initiate certain actions that relate to the product.

The mouse click subfield menu window 904 preferably includes one or more hyperlinks 906 that, when selected by the user, will cause the browser program to access an object or Web page that is related to the product offering represented by the subfield area 954a. At least some of the Web pages are preferably selected to steer the user toward a purchase of the product offering. For example, if the product offering is a hotel room, the hyperlinks could connect to virtual tours of the room or to traveler reviews of the rooms. The hyperlinks 906 could also be pointed to informational objects or Web sites that provide additional information on the product offering or information related to similar or ancillary products. The hyperlinks 906 could also allow the user to open a suggested product area, such as was described above with respect to Figure 3C. In this way, the consumer could be guided to other products that may be of interest but had not yet been considered.

The mouse click subfield detail window 954a preferably also includes an “add to shopping cart” menu item 910. This menu item allows a user to add the product represented by the subfield area 954a into a selection box, such as, for example, a virtual shopping cart. The shopping cart is an electronic basket of products that the user desires to purchase. The user adds the product to the shopping cart by selecting the “add to shopping cart” menu item 910, such as by performing a mouse click on the menu item. In an alternative embodiment, a second Web page is used for adding items to the shopping cart.

The product review page preferably includes a shopping cart box 960 that provides a visual indication or tally of which products, if any, have been added to the shopping cart. The shopping cart box 960 preferably includes a listing of the product name and a tabulation of each product price as well as the total price for all products in the shopping cart. The shopping cart box 960 preferably also includes a checkout button 962 that the user can select to initiate a purchase transaction for the products in the shopping cart. It will be appreciated that the shopping cart box 960 could also be located on a separate Web page.

In the next operation (flow diagram box 810), the browser program 110 detects that the user has interacted with one of the menu items on the subfield menu window 904. This is referred to as a menu interaction event. In the operation represented by flow diagram box 812, the browser program 110 and/or the applet program 105 then initiates an action that is associated with the selected menu item. If the menu item is a hyperlink, then the browser program 105 issues an HTTP request for the web page that is associated with the hyperlink.

If the user selected the “add to shopping cart” menu item 910, the applet program 110 adds the product to the user’s shopping cart and updates the shopping cart box 960 to reflect the change. The user is preferably able to initiate a purchase transaction for the items in the shopping cart by performing a single action, such as by clicking on the checkout button 962.

5 In the next operation, represented by the decision box 814, the applet program 110 determines whether the criteria for removal of the subfield menu window has been satisfied. The removal criteria could vary, but preferably includes the user pressing an “escape” key or the user clicking the mouse on an area of the display that is located outside of the subfield menu window 910. The subfield menu window 910 remains on the window if the removal
10 criteria is not satisfied, as shown in flow diagram box 816. The applet program 110 removes the subfield display window 910 once the removal criteria is satisfied, as shown in flow diagram box 820. The process then ends.

Thus, from the same product review page, the user can review various types of product information by scrolling the display cursor over the subfield areas of the product
15 review page and/or clicking on specific subfield areas that represent the products. Advantageously, the user can review product information, compare information for various products, and insert one or more products into a shopping cart using a single product review page screen. The user is not required to scroll between different displays or move between separate web sites in order to perform these tasks.

After the computer system has identified a subset of data elements that meet the specified criteria, the applet program draws field areas and subfield areas that are associated with the subset of data elements. The applet program preferably draws square-like subfield areas that each have an aspect ratio (ratio of length to width) that is close to a one value.

The applet program has an available amount of screen display area that will be filled with field areas and subfield areas. The amount of available area is preferably arbitrarily assigned and is limited by the size of the viewable region on the computer display device upon which the tree map is displayed. The available area and the size of the field areas and subfield areas may be measured in any unit, such as, for example, in pixels.

Figure 10 is a flow diagram that illustrates the operating steps by which the applet program allocates the available area among the identified subfield areas that meet the specified criteria. The flow diagram also describes the processing steps by which the applet program positions the subfield areas within a field area having a given two-dimensional size.

In a first operation, represented by the flow diagram box numbered 1000, the applet program assigns a size value to each data element subfield area based upon the value of the dimension that is represented by the data element. The size value is preferably set equal to or proportional to the value of the represented dimension. For example, if the size of the subfield area is representative of the price, then the size value will be equal to the magnitude of the price dimension of the data element.

In the operation step represented by the flow diagram box numbered 1002, the applet program calculates the sum of the size values for all of the data elements that will be inserted into the available space.

5 The next operation is represented by the flow diagram box numbered 1004. In this step, the applet program divides the previously-calculated sum by the size value for each of the data elements. The applet program has thus obtained a percentage value for each of the data elements. The percentage value represents the percentage of available space that a data element's associated subfield area will consume.

10 The applet program next starts to recursively allocate the available area among the rectangular subfield areas, as represented by the flow diagram box numbered 1006. Figure 11A shows an exemplary rectangle that represents the amount of available area. The rectangle has a length L and a width W .

15 In the next operation, represented by the flow diagram box numbered 1008, the applet program starts a new subfield row by inserting a subfield area 1102 along one side, preferably the shortest side, of the available area. This is illustrated in Figure 11B, where a subfield area 1102 is shown inserted along the shortest side of the available area. The applet program preferably inserts subfield areas in order according to the size of the subfield area, such as from largest to smallest. As mentioned, the size of the subfield area is calculated as a percentage of the available area. For example, assume that the subfield area 1102 has an area
20 size of 6 units.

In the next operation step, represented by flow decision box 1012, the applet program determines whether inserting an additional subfield area into the current row will improve the layout of the subfield areas in that row. The layout is considered improved if, by adding a new subfield area, the aspect ratio of the subfield areas in the row are moved closer to a value of one and thereby become more “square.” For example, in Figure 11C, a subfield area 1104 having an area size of 6 units has been added to the row. The layout of the row has improved, as the subfield area 1102 has become more “square” by the addition of the subfield area 1104.

If the layout of the row will indeed be improved by adding a subfield area to the row, then the applet program proceeds to insert an additional subfield area into the current row. This is represented by flow diagram box 1014. The applet program will then determine again whether to insert an additional subfield area into the current row.

If inserting an additional subfield area to the current row will not improve the layout of the row, then the applet fixes the layout of the current row by not inserting an additional subfield area into the row. This is represented by flow diagram box 1016. For example, Figure 11D shows the results of inserting an additional subfield area 1106 into the row. The subfield area 1106 has a size of 4 units. As shown, the insertion of the new subfield area 1106 into the row causes subfield areas 1102 and 1104 to become more thin and elongated with respect to the previous layout shown in Figure 11C. Thus, the addition of a new subfield area to the row did not improve the layout of the subfield areas in the row.

Therefore, the applet will not add the new subfield area 1106 to the row, but will have the areas 1102 and 1104 as the only areas in the first row (Figure 11C).

After the applet program has fixed the layout of a row, the applet program returns to operation 1008 and starts to form a new subfield row. The amount of available space is reduced by the amount of space consumed by the subfield areas in the previous row. This is illustrated in Figure 11C, where the amount of available space is indicated with shading. The applet program recursively inserts rows of subfield areas into the available space and adjusts the available space according to the aforementioned process until all of the data elements have been represented by subfield areas.

Advantageously, the aforementioned process results in subfield areas that are as square-like as possible, as the applet program avoids drawing subfield areas that are thin, and elongate. Square-like subfield areas are preferred because square field areas are more easy to identify for a user than thin, elongated subfield areas. Additionally, it is easier for a user to use a display cursor to point at square-like subfield areas. The user can also more easily compare the relative sizes of rectangles that have similar aspect ratios.

As discussed above, the screen color of each subfield area represents the value of a dimension for the associated data element. The applet program preferably assigns each data element with a color value or range of color values wherein the color value is indicative of the value of the represented dimension. For the subfield areas within a common field area, the applet program preferably selects a range of colors that avoids extreme differences in

color. Figure 12 is a flow diagram that illustrates the operating steps by which the applet program assigns screen colors to the subfield areas.

In the first operation step, represented by flow diagram box 1202, the applet program assigns a color value to each subfield area based upon the value of the dimension that is represented by the color. The color value is preferably equal to or proportional to the value of the represented dimension. In the next operation (flow diagram box 1204), the applet program calculates the logarithm of the color value of each of the subfield areas. The use of a logarithmic value reduces the numerical span for the range of values by eliminating excessively high or low values that may throw off subsequent statistical analyses that occur later in the process.

In the next operation, represented by flow diagram box 1206, the applet program calculates the standard deviation from a mean value of the set of color values of the subfield areas. The applet program also determines the average color value.

In the next operation, the applet program sets upper and lower limits for the range of color values. This is represented by flow diagram box 1208. The upper and lower limits may be arbitrarily set. In a preferred embodiment, the upper and lower limits are set as two standard deviations away from the mean color value.

The applet program next normalizes the color values to a value between 1 and zero, where a value of zero corresponds to the aforementioned lower limit and a value of one corresponds to the aforementioned upper limit. This operation is represented by flow diagram box 1210. The applet program then computes the screen color of each of the

subfield areas using the normalized color values. The applet program then draws the product review page using the sizes and colors that were obtained from the operations described in Figures 10 and 12. The aforementioned process results in subfield areas that have easily identifiable color differences without an extreme amount of variance in color.

5 Figure 13 is an illustration of a product review page 1328 that may be included in the active area 304 of the browser window of Figure 3A. In this embodiment, the product review page 1328 is configured to display information regarding coffee-related products for an imaginary coffee product vendor named Coffeeco. The product review page 1328 includes a field array 1330 comprised of field areas 1340a, 1340b, 1340c, 1340d, and 1340e. Each field
10 area 1340 represents a grouping of coffee products with each product being represented by a subfield area 1354.

The product review page 1328 includes a legend area 1360 that provides explanatory information regarding the significance of the attributes for the field areas 1340 and subfield areas 1354. For example, the legend area 1360 includes the text “Group = Coffee Type”
15 which explains that the subfield areas 1354 are grouped according to coffee type. Specifically, the field area 1340a contains a grouping of subfield areas 1354 associated with “Coffeeco Blends” coffee products, the field area 1340b contains a grouping of subfield areas 1354 associated with “Decaf” coffee products, the field area 1340c contains a grouping of subfield areas 1354 associated with “Africa and Arabia” coffee products, the field area 1340d
20 contains a grouping of subfield areas 1354 associated with “the Americas” coffee products, and the field area 1340e contains a grouping of subfield areas 1354 associated with “Dark

Roasts” coffee products. Thus, for example, the subfield areas 1354 contained within the field area 1340e represent coffee products that are of the dark roast coffee type, the subfield areas 1354 contained within the field area 1340b represent coffee products that are decaf (i.e., decaffeinated) coffees, and so forth. Preferably, each field area 1340 has a title that describes the corresponding grouping for the field area 1340. In the illustrated embodiment, the title is superimposed over each field area 1340.

The title could comprises a hyperlink that links to a window or separate Web page that includes descriptive information regarding the corresponding field area 1340. Alternately, each field area 1340 could have an associated hyperlink 1410 (Figure 14) that links to a window 1415 or Web page that includes descriptive information regarding the associated field area 1340. Each hyperlink 1410 preferably includes anchor text that indicates the purpose of the hyperlink 1410. Figure 14 shows an exemplary window 1415 that is displayed in response to the user selecting the hyperlink 1410 associated with the field area 1340b.

With reference again to Figure 13, the legend area 1360 also includes the text “Size = Price” which explains that the size of each subfield area 1354 represents the purchase price of the corresponding coffee product represented by the subfield area 1354. Subfield areas 1354 of larger size have a higher purchase price than subfield areas of smaller size. The user can easily ascertain the relative prices of the coffee products represented by the subfield areas 1354 by examining the relative sizes of the subfield areas 1354.

The legend area 1360 further includes text that states “Color = Body” which explains that the color of each subfield area 1354 is an indication of the body of the associated coffee product, as mapped to a reference bar 1362. In Figure 13, colors are represented by either a diagonal hatch pattern or a vertical hatch pattern fill area. As shown by the reference bar 1362, subfield areas 1354 that are filled with a diagonal hatch represent coffee products that have a medium body. Subfield areas 1354 that are filled with a vertical hatch represent coffee products that have a full body. For clarity of illustration, only two of the subfield areas 1354 have been filled with a hatch. However, preferably all of the subfield areas 1354 have associated colors or patterns that map to the color reference bar 1362. Furthermore, although the exemplary reference bar 1362 includes only two distinct bodies (medium and full) represented by two distinct colors, the reference bar 1362 and subfield areas 1354 preferably include a gradual range of variances in one or more colors to indicate finer variances in the body of the coffee products over a continuous spectrum.

Preferably, the user can reconfigure the legend area 1360 so that the subfield area attributes are associated with product characteristics that are selected by the user. The legend area 1360 could include one or more drop down menus that allow the user to reconfigure the product review page so that the subfield area attributes are associated with different product characteristics. For example, as shown in Figure 14, a drop down menu 1405 allows the user to select which product characteristic, such as price, body, or coffee type, that is associated with the size of the subfields 1354. The product review page 1328 is reconfigured based upon the selection of the user. Preferably, similar drop down menus are provided for

groupings and color and for any other subfield area attribute. Moreover, the user can preferably also select which color or colors will be used on the color reference bar 1362. In this manner, the user can select a preferred color scheme.

With reference to Figure 13, the product review page 1328 also includes a highlight box 1366 that provides the ability to highlight all subfield areas 1354 that meet specified criteria. The highlight box 1366 includes two highlight criteria: (1) “Best Sellers” which is associated with a “\$” symbol, and (2) “Recommended for Espresso” which is associated with a “!” symbol. When a highlight criteria is activated, such as by clicking on the criteria using a display cursor, then all subfield areas 1354 that meet the criteria are highlighted with the associated symbol. For example, the “Best Sellers” criteria is activated, as exhibited by the “X” in the box adjacent to the criteria. Consequently, several of the subfield areas 1354 are highlighted with a “\$” symbol, indicating that the highlighted subfield areas 1354 represent coffee products that are best sellers. If the “Recommended for Espresso” criteria were to be activated, then all subfield areas 1354 that represent coffee products that are recommended for espresso would be highlighted with the “!” symbol. The highlight criteria may be varied.

The product review page 328 includes a mouse-over subfield detail window 1370 that appears in response to a mouse cursor being moved over a subfield area 1354c, as described above with reference to Figures 6 and 7. The mouse-over subfield detail window 1370 includes information related to the coffee product associated with the subfield area 1354c, such as, for example, the name of the coffee and a description of the flavor.

A mouse click on the subfield area 1354c causes a mouse-click subfield menu window 1372 to appear, as described above with reference to Figures 8 and 9. The subfield menu window 1372 preferably includes items such as hyperlinks that link to additional information or to reviews of the corresponding product. The menu window 1372 preferably also includes an item that allows the user to add the associated product to a virtual shopping cart of the type known to those of skill in the art.

The product review page also includes a product search box 1376. The user can enter search strings into the product search box 1376 and then initiate a search of the database for particular products that are associated with the data string. When the search is complete, the product review page 1328 preferably displays information related to the product(s) that were found in the search.

The product review page could also include one or more hyperlinks 1376 that are linked to additional product review pages that are directed toward other products.

The display system as described above thereby permits a user to have control over the data displayed as a result of a user query. Advantageously, the tree map display format allows the data to be presented to a user in a single display screen. The user can identify and compare various aspects relating to data elements without having to scroll between multiple screens. The user can then select data elements that meet the user's requirements and initiate a purchase transaction with minimal effort.

The present invention has been described above in terms of a presently preferred embodiment so that an understanding of the present invention can be conveyed. There are,

however, many configurations for data display systems not specifically described herein but with which the present invention is applicable. The present invention should therefore not be seen as limited to the particular embodiments described herein, but rather, it should be understood that the present invention has wide applicability with respect to data display
5 generally. All modifications, variations, or equivalent arrangements and implementations that are within the scope of the attached claims should therefore be considered within the scope of the invention.

CLAIMS

We claim:

- 1 1. A method of processing user criteria to retrieve a portion of data and display it
2 to the user, the method comprising:
3 receiving user criteria that specifies a subset of the data with respect to multiple data
4 criteria;
5 retrieving the data subset from the data; and
6 displaying the data subset in a display defined by a two-dimensional field array of
7 information, wherein the field array of the display is divided into a plurality of two-
8 dimensional bounded field areas, each of which has a display area that is indicative of a first
9 data criteria of the data subset, and wherein the area of each bounded field areas is further
10 divided into subfield areas, each of which has an area that is indicative of a second data
11 criteria of the data subset; and
12 displaying a subfield detail window adjacent to one of the subfield areas in response
13 to moving a display cursor over a boundary of the bounded subfield area to show data
14 relating to the bounded subfield area, and displaying a menu window adjacent to the bounded
15 subfield area in response to a mouse click on the bounded subfield area such that the menu
16 window shows information relating to the bounded subfield area data subset and can receive

17 user criteria from the user to specify additional information relating to the bounded subfield
18 area.

1 2. A method as defined in claim 1, wherein the menu array window specifies
2 information relating to the bounded subfield area.

1 3. A method as defined in claim 1, wherein the subfield detail window remains
2 in display as long as a display cursor is located over the subfield area.

1 4. A method as defined in claim 1, wherein the menu array window includes one
2 or more hyperlinks for an offering represented by the bounded sublevel area.

1 5. A method as defined in claim 1, wherein each subfield area includes an
2 attribute that is indicative of a third data criteria of the data subset.

1 6. A method as defined in claim 5, wherein the attribute of the subfield display
2 areas is screen color, such that screen color indicates the magnitude of the third data criteria.

1 7. A method of presenting information regarding plural products on a computer
2 display screen for perusal and selection by a user, the method comprising:

3 displaying a product review page on the display screen, the product review page
4 comprising one or more two-dimensional, bounded field areas, each bounded field area
5 corresponding to a particular product category, wherein one or more of the bounded field
6 areas is divided into plural bounded subfield areas, each of the bounded subfield areas
7 corresponding to and representing a product, and wherein each bounded subfield area has a
8 first attribute that is indicative of a first characteristic of the corresponding product;

9 displaying a menu box that provides the user with the ability to insert any product
10 corresponding to a subfield areas into an electronic shopping cart;

11 providing the user with the ability to perform a single action to initiate a purchase
12 transaction of all of the items in the shopping cart.

1 8. A method as defined in claim 7, wherein all of the bounded field areas and
2 subfield areas of the product review page are simultaneously contained within a single
3 viewable region of the computer display screen.

1 9. A method as defined in claim 7, wherein the first attribute of the bounded
2 subfield area comprises a two-dimensional size of the bounded subfield area.

1 10. A method as defined in claim 7, wherein the first attribute of the bounded
2 subfield area comprises a screen color of the bounded subfield area.

1 11. A method as defined in claim 7, wherein the bounded subfield area has a
2 second attribute that is indicative of a second characteristic of the corresponding product.

1 12. A method as defined in claim 11, wherein the first attribute of the bounded
2 subfield area comprises the size of the bounded subfield area and the second attribute of the
3 bounded subfield area comprises the color of the bounded subfield area.

1 13. A method as defined in claim 7, wherein subfield areas that represent a
2 particular product having a first characteristic are grouped together with subfield areas that
3 represent products that have a characteristic similar to the first characteristic.

1 14. A method as defined in claim 7, wherein the first visible attribute of the
2 subfield areas is indicative of the price of the corresponding product.

1 15. A method as defined in claim 7, additionally comprising displaying a field
2 detail window adjacent to one of the bounded subfield areas in response to moving a display
3 cursor over a boundary of the bounded subfield areas to show data relating to the product
4 corresponding to the bounded subfield area.

1 16. A method as defined in claim 7, additionally comprising displaying a menu
2 box adjacent to a bounded subfield area in response to a mouse click on the bounded subfield

3 area, wherein the menu box includes menu items that may be selected for accessing
4 information related to one or more of the products.

1 17. A method as defined in claim 7, wherein each subfield area represents a coffee
2 product that is available for purchase and wherein subfield areas that represent coffee
3 products of a common type are grouped within a common field area.

1 18. A method as defined in claim 17, wherein the first attribute of each subfield
2 area is the two-dimensional screen size of the subfield area and wherein the two dimensional
3 size of each subfield area is indicative of a purchase price of the product represented by the
4 subfield area.

1 19. A device for displaying information on a computer display screen for perusal
2 and selection by a user, the information being related to plural data elements, each data
3 element belonging to a data category and being defined by one or more dimensions of a given
4 magnitude, the device comprising:

5 one or more bounded field areas on the display screen, each bounded field area
6 corresponding to a particular data category, wherein each bounded field area is divided into
7 one or more bounded subfield areas, each bounded subfield area corresponding to and
8 representing a particular data element, wherein each of the bounded subfield areas has a first
9 attribute that is indicative of a first dimension of the corresponding data element, and wherein

10 all of the bounded field areas and subfield areas are simultaneously viewable within a single
11 viewable region of the computer display screen;

12 a field detail window on the computer display screen located adjacent to one of the
13 bounded subfield areas in response to a display cursor being located over a boundary of the
14 bounded subfield area, the field detail window showing the magnitude of one or more
15 dimensions of the data element corresponding to the bounded subfield area;

16 a menu window on the computer display screen adjacent one of the bounded sublevel
17 areas, the menu array window appearing in response to a mouse click on a bounded subfield
18 area, the menu array window including an option to insert the data element corresponding to
19 the bounded subfield area into a shopping cart;

20 a button item on the computer display screen by which the data elements in the
21 shopping cart may be accepted by the user.

1 20. The device as defined in claim 19, wherein each of the bounded subfield areas
2 has a second attribute that is indicative of a second dimension of the corresponding data
3 element.

1 21. The device as defined in claim 19, wherein the first attribute of each of the
2 bounded subfield area is a two-dimensional size of the bounded subfield area.

1 22. The device as defined in claim 20, wherein the second attribute of each of the
2 bounded subfield area is a screen color of the bounded subfield area.

1 23. The device as defined in claim 19, wherein the data elements are descriptive
2 of products that are available for purchase.

1 24. The device as defined in claim 23, wherein the data elements are stored in a
2 data store that is local to the computer device.

1 25. The device as defined in claim 19, wherein each data element corresponds to a
2 product that is available for purchase and wherein the dimensions of a data element include
3 the price of the corresponding product.

1 26. The device as defined in claim 19, wherein the menu array window provides
2 the option to accept criteria by which the user can cause the computer to revise the attributes
3 of the bounded subfield areas to be indicative of a different set of dimensions of the subfields
4 within a particular data category.

1 27. The device as defined in claim 19, wherein the menu array window provides
2 the option to accept criteria by which the user can cause the computer to display only data
3 elements having a dimension within a given value range.

1 28. The device as defined in claim 19, wherein the data elements describe
2 products that are available for purchase and wherein the button item allows the user to initiate
3 a purchase transactions with respect to any data elements in the shopping cart.

1 29. A computer device having an internal memory containing computer readable
2 code comprised of a set of instructions that will cause the computer device to execute the
3 following functions:

4 accept user criteria for obtaining a subset of data related to products that are available
5 for purchase;

6 retrieve a data subset that meets the user criteria, the data subset comprised of one or
7 more data elements, each data element being related to one or more products, and;

8 generate a tree map display that is representative of the data subset, wherein the tree
9 map display comprises:

10 plural bounded field areas, each bounded field area corresponding to a product
11 category, wherein one or more of the bounded field areas is divided into plural
12 bounded subfield areas, each of the bounded subfield areas corresponding to and
13 representing a product, and wherein each bounded subfield area has a first visible
14 attribute that is indicative of a first characteristic of the corresponding product,
15 wherein the plural bounded field areas and the bounded subfield areas are all
16 contained within a single viewable region of a computer display screen;

17 a menu item that provides the user with the ability to insert any product
18 corresponding to a subfield areas into an electronic shopping cart;
19 a shopping cart item that provides a tally of any products that have been
20 inserted into the shopping cart;
21 a selectable item that initiates a purchase transaction of all of the items in the
22 shopping cart.

1 30. The computer device of claim 29, wherein the tree map display additionally
2 comprises a field detail window on the computer display screen located adjacent to one of the
3 bounded subfield areas in response to a display cursor being located over a boundary of the
4 bounded subfield area, the field detail window including information related to the product
5 that corresponds the subfield area upon which the display cursor is located.

1 31. The computer device of claim 29, wherein the first visible attribute of each of
2 the bounded subfield areas is the screen size of the bounded subfield area.

1 32. The computer device of claim 29, wherein each bounded subfield area has a
2 second visible attribute that is indicative of a second characteristic of the corresponding
3 product.

1 33. The computer device of claim 32, wherein the second visible attribute
2 comprises the screen color of the subfield area.
3

1 **COMPUTER HIERARCHICAL DISPLAY OF**
2 **MULTIPLE DATA CHARACTERISTICS**

3
4 **ABSTRACT OF THE DISCLOSURE**

5
6 A data display comprises a window that shows a tree map display having menu
7 information surrounding a field array of differently sized and colored or shaded areas that
8 represent product offering possibilities that conform with user criteria entered through the
9 surrounding menu windows. A Web site that uses the display technique may receive user
10 criteria and retrieve a portion of collected data and display it to the user, so that the retrieved
11 data describes a data subset that is responsive to the user criteria. The retrieved Web pages
12 may be viewed to facilitate review of product offering information, and to facilitate purchase
13 decisions that are transmitted from the Web site visitors.




FIGURE 1




FIGURE 2




FIGURE 3A




FIGURE 3B




FIGURE 3C




Figure 3D




Figure 3E




FIGURE 4




FIGURE 5




FIGURE 6




FIGURE 7




FIGURE 8




FIGURE 9




FIGURE 10




FIGURE 11A




FIGURE 11B




FIGURE 11C




FIGURE 11D




FIGURE 12




FIGURE 13




FIGURE 14

DECLARATION FOR PATENT APPLICATION

As a below-named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name.

I believe I am the original, first and joint inventor of the subject matter which is claimed and for which a patent is sought on the invention entitled:

COMPUTER HIERARCHICAL DISPLAY OF MULTIPLE DATA CHARACTERISTICS

the specification of which

- (X) is attached hereto.
 () was filed by an authorized person on my behalf on _____ as
 Application Serial No. _____.
 () and as amended [if applicable].

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, §1.56(a).

I hereby claim foreign priority benefits under Title 35, United States Code, §119(a)-(d) or §365(b) of any foreign application(s) for patent or inventor's certificate listed below and so identified, or §365(a) of any PCT international application that designated at least one country other than the United States of America, listed below, and I have also identified below any foreign application for patent or inventor's certificate or PCT international application on this invention filed by me or my legal representatives or assigns and having a filing date before that of the application on which priority is claimed.

Priority
 Claimed
 (Yes or No)

Number Country Day/Month/Year Filed

N/A

I hereby claim benefit under Title 35, United States Code, Section 119(e) of any United States provisional application(s) listed below:

Application Serial No. Filing Date

60/220,417 07/24/2000

I hereby claim the benefit under Title 35, United States Code, Section 120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, Section 112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, Section 1.56(a) which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

<u>Application Serial No.</u>	<u>Filing Date</u>	<u>Status</u>
N/A		

<u>PCT Application No.</u>	<u>Filing Date</u>
N/A	

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

I hereby appoint the following attorneys and agents, with full power of substitution and revocation, to prosecute this application and to transact all business in the United States Patent and Trademark Office connected therewith and request that all correspondence and telephone calls in respect to this application be directed to David A. Hall, HELLER EHRMAN WHITE AND McAULIFFE LLP, 4250 Executive Square, 7th Floor, La Jolla, California 92037; (858) 450-8400:

<u>Attorney</u>	<u>Reg. No.</u>
David A. Hall	32,233
Stephanie Seidman	33,779
Paula Schoeneck	39,362
Dale L. Rieger	43,045
Gary Silverstein	39,372
William B. Anderson	41,585

and other members of the firm.

Address for correspondence: David A. Hall
HELLER EHRMAN WHITE AND McAULIFFE LLP
4250 Executive Square, 7th Floor
La Jolla, California 92037

Full name of first inventor: Peter R. Berg

Inventor's signature: _____

Date: _____

Residence: Glendora, California

Post Office Address: 724 N. Westridge Avenue

Glendora, California 91741-2074

Citizenship: USA

Full name of second inventor: Andrew J. Bradley

Inventor's signature: _____

Date: _____

Residence: Palo Alto, California

Post Office Address: 215 N. California Avenue

Palo Alto, California 94309

Citizenship: USA

Full name of third inventor: Jeffrey B. Burton

Inventor's signature: _____

Date: _____

Residence: Woodside, California

Post Office Address: 125 Miramontes Road

Woodside, California 94062

Citizenship: USA

Full name of fourth inventor: James H. Cooley

Inventor's signature: _____

Date: _____

Residence: Sunnyvale, California

Post Office Address: 902 Rockefeller Dr., Apt. 14A

Sunnyvale, California 94087

Citizenship: USA

Full name of fifth inventor: Donald J. Hoffman

Inventor's signature: _____

Date: _____

Residence: Mountain View, California

Post Office Address: 1602 Morgan Street

Mountain View, California 94043

Citizenship: USA

Full name of sixth inventor: Susan J. Maruyama

Inventor's signature: _____

Date: _____

Residence: Burlingame, California

Post Office Address: 128 Fey Drive

Burlingame, California 94010

Citizenship: USA

Full name of seventh inventor: Kenneth J. Winchester

Inventor's signature: _____

Date: _____

Residence: Paso Robles, California

Post Office Address: 870 Arbor Road

Paso Robles, California 93446

Citizenship: USA

259213 v01.PA (5K0D01!.DOC) (37337.0001)